SEQUENCE LISTING

<110> Brennan, Miles B.
Hochgeschwender, Ute

<120> METHODS FOR IDENTIFYING COMPOUNDS USEFUL FOR THE REGULATION OF BODY WEIGHT AND ASSOCIATED CONDITIONS

<130> 3718-6

<140> Not Yet Assigned
<141> 1999-12-09

<150> 60/111,581
<151> 1998-12-09

<150> 60/146,306
<151> 1999-07-29

<150> 60/146,305
<151> 1999-07-29

<150> 60/146,304
<151> 1999-07-29

<150> 60/146,303
<151> 1999-07-29

<150> 60/146,302
<151> 1999-07-29

<150> 60/146,301
<151> 1999-07-29

<150> 60/146,300
<151> 1999-07-29

<150> 60/146,299
<151> 1999-07-29

<160> 6

<170> PatentIn Ver. 2.0

<210> 1
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<221> DOMAIN
<222> (1)..(5)
<223> conserved region

<400> 1
Glu His Phe Arg Trp
1 5

<210> 2
<211> 13
<212> PRT
<213> Homo sapiens

<400> 2
Ser Tyr Ser Met Glu His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 3
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<221> MOD_RES
<222> (1)
<223> Xaa = Nle

<220>
<221> VARIANT
<222> (2)
<223> Xaa = Glu or Asp

<220>
<221> VARIANT
<222> (4)
<223> Xaa = Phe or D-Phe

<220>
<221> VARIANT
<222> (7)
<223> Xaa = dibasic amino acid; Lys; Orn; Dbu; or Dpr

<220>
<221> PEPTIDE

<222> (1)..(7)
<223> analog

<400> 3
Xaa Xaa His Xaa Arg Trp Xaa
1 5

<210> 4
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<221> VARIANT
<222> (4)
<223> Xaa = Met, Nle, or Cys

<220>
<221> MOD_RES
<222> (7)
<223> Phe = D-Phe

<220>
<221> PEPTIDE
<222> (1)..(13)
<223> analog

<400> 4
Ser Tyr Ser Xaa Glu His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 5
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<221> MOD_RES
<222> (1)
<223> Nle

<220>
<221> MOD_RES
<222> (4)
<223> Xaa = D-naphthylalanine

<220>
<221> PEPTIDE
<222> (1)..(7)
<223> analog

<400> 5
Xaa Asp His Xaa Arg Trp Lys
1 5

<210> 6
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<221> MOD_RES
<222> (1)
<223> Xaa = Nle

<220>
<221> MOD_RES
<222> (4)
<223> Phe = D-para-iodo-phenylalanine

<220>
<221> PEPTIDE
<222> (1)..(7)
<223> analog

<400> 6
Xaa Asp His Phe Arg Trp Lys
1 5